The "DeMAND" coding scheme: A "common language" for representing and analyzing student discourse

Gwendolyn E. CAMPBELL^a, Natalie B. STEINHAUSER^a, Myroslava O. DZIKOVSKA^b, Johanna D. MOORE^b, Charles B. CALLAWAY^b & Elaine FARROW^b

"Naval Air Warfare Center Training Systems Division

"Human Communication Research Centre, University of Edinburgh

Abstract. We propose that a set of five dimensions forms a foundation underlying a number of prevalent theoretical perspectives on learning. We show how student contributions to instructional dialogue can be reliably annotated with these dimensions. Finally, we provide preliminary validation evidence for our coding scheme and illustrate the potential value of such an approach to analyzing student behavior in tutorial dialogue.

Keywords. Learning theories, intelligent tutoring systems, coding scheme, tutorial dialogue

Introduction

It is difficult to compare results across learning studies, because they are often designed to investigate different learning theories and use difficult coding strategies. To alleviate this problem we want establish a "common language" for coding tutorial dialogues.

First, we identified five prominent learning theories and decomposed them into a set of underlying dimensions (see Table 1). Next, we transformed those dimensions (**de**pth, **mo**tivation, **a**ccuracy, **n**ovelty and **d**oubt into a coding system, which we labelled DeMAND (see Table 2).

Table 1: Theories and Underlying Dimensions.

The Theories: Learning results from	Can be Decomposed into these Underlying Dimensions
Applying cognitive effort [1]	Statements that are DEEP
Engaging in accountable talk [2]	Statements that are DEEP and ACCURATE
Constructing new knowledge [3,4]	Statements with NOVEL information
Autonomous activity [5]	Statements that are internally MOTIVATED
Experiencing an impasse [6]	Statements that are not ACCURATE or show DOUBT

In the rest of this paper, we show that this system can be reliably applied to a corpus, provide preliminary evidence of its validity and illustrate its potential utility.

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding an DMB control number.	ion of information. Send comments arters Services, Directorate for Info	regarding this burden estimate or ormation Operations and Reports	or any other aspect of the property of the contract of the con	nis collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE 2010		2. REPORT TYPE		3. DATES COVE	ERED 00-00-2010	
4. TITLE AND SUBTITLE	TITLE AND SUBTITLE			5a. CONTRACT NUMBER		
The ?DeMAND coding scheme: A common language for representing and analyzing student discourse			5b. GRANT NUMBER			
			5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)			5d. PROJECT NUMBER			
					5e. TASK NUMBER	
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Air Warfare Center Training Systems Division, Orlando, FL			8. PERFORMING ORGANIZATION REPORT NUMBER			
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)			
				11. SPONSOR/M NUMBER(S)	ONITOR'S REPORT	
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited				
13. SUPPLEMENTARY NO	TES					
perspectives on lea annotated with the scheme and illustra dialogue.	set of five dimension rning. We show how se dimensions. Final ate the potential valu	v student contribut lly, we provide prel	ions to instruction iminary validation	al dialogue on evidence fo	an be reliably or our coding	
15. SUBJECT TERMS					T	
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	3		

Report Documentation Page

Form Approved OMB No. 0704-0188

Table 2: DeMAND Codes.

Code	Definition
De(pth)	Credited if: contained explicit signs of deep processing, such as explaining, justifying,
	providing evidence, asking questions to gain a better understanding, etc.
M(otivation)	All statements were coded. A statement was externally motivated if it was made in reaction to
	a "demand" of the lesson or tutor. A statement was internally motivated if it could not be
	traced to any external demand.
A(ccuracy)	All statements were coded. Possible values include: Correct & complete, correct but
	incomplete, partially correct with some errors and incorrect.
N(ovelty)	Credited if: contained information that has not already been explicitly stated (or confirmed) by
	the tutor, slides, or student.
_D(oubt)	Credited if: contained explicit indicators of a lack of confidence, such as hedges.

2. Current Study

We created a curriculum and a computer-based learning environment to teach basic concepts in direct current circuits. The curriculum took students approximately 4 hours to complete. The learning environment contained lesson materials (including didactic text, exercises and discussion questions), a circuit simulator, and a message window where the participant and tutor interacted. All of the student-tutor interactions occurred through typing.

We created three versions of these lessons (open-ended, closed-ended, and middle), which varied only in the format of the questions that the students were asked. Our objective was to impact the type of language produced by the participants, with the open-ended condition eliciting more deep statements, more accountable talk and more internally motivated statements than the closed-ended condition. If our system reflects these differences, this provides some positive evidence for its construct validity [7].

The corpus includes dialogues from each of thirty participants distributed across three experienced tutors and conditions. The entire corpus includes 8,085 dialogue turns taken by the student and tutor, and 56,133 tokens (words and punctuation).

3. Results

Following [8], our raters achieved kappa values of 0.64 ("moderate"), 0.81, 0.89 and 0.88 ("substantial") for depth, motivation, novelty and doubt, respectively. Accuracy was coded in real time by the tutors.

We conducted three one-way, between-subjects analyses of variance (ANOVAs) with lesson condition (open, middle and closed) as the independent variable for each, and the percentage of student utterances that were coded as containing evidence of (a) cognitive effort, (b) accountable talk or (c) internally motivated as the three dependent variables (DVs), respectively. In each case, the overall ANOVA was significant, and a Fischer's least significant difference (LSD) test indicated that the DV was larger in the open condition than in the closed condition (see Table 3).

We conducted a hierarchical multiple linear regression, with post-test score as the dependent variable and the pre-test score and the five learning theories (cognitive effort, internal motivation, constructivism, accountable talk, and experiencing impasses) as independent variables. The result was significant, F(1,28) = 8.1, p=.008,

with $R^2 = 0.224$. The only significant predictor was impasses, which were negatively related to post-test score, β =-0.47, t=-2.85, p=.008.

Table 3: Statistics.

ANOVA	LSD	Descriptive Statistics	Descriptive Statistics for			
		for Open Condition	Closed Condition			
(a) DV = percentage of student utterances coded as containing evidence of cognitive effort						
F(2,29) = 66.13, p < .01	t(19) = 10.67, p < .01	M = .45, $SD = .07$	M = .13, $SD = .07$			
(b) DV = percentage of student utterances coded as accountable talk						
F(2,29) = 59.82, p < .01	t(19) = 9.67, p < .01	M = .41, $SD = .07$	M = .11, SD = .07			
(c) DV = percentage of student utterances coded as internally motivated						
F(2,29) = 6.22, p = .006	t(19) = 4.00, p = .003	M = .07, $SD = .04$	M = .02, $SD = .02$			

4. Summary

Without a common language, it can be difficult to compare results across different learning studies. We proposed that five prominent theories of learning could be represented by a series of underlying dimensions (some singly, others with combinations). We showed that these dimensions could be reliably assessed and that they respond as predicted to an instructional manipulation (an accepted approach for collecting evidence of construct validity [7]). Finally, we showed that this coding scheme allowed us to simultaneously evaluate the relative explanatory power of the different learning theories for our students' learning gains.

While additional work is required to refine and evaluate this approach, we believe that decomposing learning theories into a set of "least common denominators" as we have done here will facilitate a deeper understanding of the relationships between theories, allow us to more readily compare results across studies and support a systematic investigation into the relative impact on learning gains of different types of events, experiences and pedagogical methods.

References

- J. W. Thomas & W. D. Rohwer Jr., Proficient autonomous learning: Problems and prospects. In M. Rabinowitz (Ed.), Cognitive science foundations of instruction (pp. 1-32). Lawrence Erlbaum Associates, Hillsdale, NJ, 1993.
- [2] M. K. Wolf, A. C. Crosson & L. B. Resnick, Accountable talk in reading comprehension instruction. CSE Technical Report 670. University of Pittsburgh, January 2006.
- [3] R. J. Osborne & M. C. Wittrock, Learning science: A generative process. Science Education, 67 (1983), 489-508.
- [4] T. M. Duffy, & D. H. Jonassen, Constructivism and the technology of instruction: A conversation. Lawrence Erlbaum Associates, Hillsdale, NJ, 1992.
- [5] S. B. Nolen, Reasons for studying: Motivational orientations and study strategies, Cognition and Instruction, 5 (1988), 269-287.
- [6] K. VanLehn, S. Siler, C. Murray, T. Yamauchi & W. B. Baggett, Why do only some events cause learning during human tutoring? *Cognition and Instruction*, **21** (2003), 209-249.
- [7] D. T. Campbell & D. Fiske, Convergent and discriminant validation by the multitrait-multimethod matrix. *Psychological Bulletin*, **56** (1959), 81-105.
- [8] J. Carletta, A. Isard, S. Isard, J. Kowtko, G. Doherty-Sneddon & A. Anderson, The reliability of a dialogue structure coding scheme. *Computational Linguistics*, 23 (1997), 13-32.